Science Library
QK
1
.C2

SECTION C

INDEX TO VOLUME 25

Authors

Alarie, A. M. and Gray, P. H. H.—Aerobic bacteria that decompose cellulose, isolated from Quebec soils. I. Isolation and description of the species, 228.

Baird, E. A. and Lane, M. G.—The seasonal variation in the ascorbic acid content of edible wild plants commonly found in New Brunswick, 95.

Bannan, M. W.—Tetraploid Taraxacum kok-saghyz. III. Achene weight, flowering, and plant development, 59.

Burton, M. O., Eagles, B. A., and Campbell, J. J. R.—The amino acid requirements for pyocyanin production, 121.

Campbell, J. A.—See Moss, E. H.

Campbell, J. J. R.—See Burton, M. O.

Cherewick, W. J.—See Newton, M.

Connolly, F., Hiltz, M. C., and Robinson, A. D.—Thiamin in Manitoba vegetables, 43.

Dimmick, I.—Phosphorus deficiency in relation to the nitrate reduction test, 271.

Eagles, B. A.—See Burton, M. O.

Good, H. M.—Studies on the Cladosporium blight of sweet pea, 137.

Gooding, H. B.—See Scarth, G. W.

Gray, P. H. H.—See Alarie, A. M.

Hiltz, M. C.—See Connolly, F.

Johnson, T.—A form of Leptosphaeria avenaria on wheat in Canada, 259.

Katznelson, H.—Studies with Bacillus polymyxa. V. Potassium as a factor in the production of 2,3-butanediol from starch, 129.

Lane, M. G.—See Baird, E. A.

Lochhead, A. G. and Thexton, R. H.—Growth and survival of bacteria in peat. I. Powdered peat and related products, 1. II. Peat pellets, 14. Qualitative studies of soil micro-organisms. VII. The 'rhizosphere effect' in relation to the amino acid nutrition of bacteria, 20.

McFarlane, W. D.—See Perlin, A. S.

Malowany, S. N. and Newton, J. D.—Studies on steam sterilization of soils. I. Some effects on physical, chemical, and biological properties, 189.

Michaelis, M.—See Perlin, A. S.

Moss, E. H. and Campbell, J. A.—The fescue grassland of Alberta, 209.

Newton, J. D.—See Malowany, S. N.

Newton, M. and Cherewick, W. J.—Erysiphe graminis in Canada, 73.

Newton, W.—An indicator agar for the determination of the relative concentration of ascorbic acid in potato tuber tissue, 242.

Perlin, A. S., Michaelis, M., and McFarlane, W. D.—Studies on the decomposition of cellulose by micro-organisms, 246.

Perrault, C.—L'antagonisme de certains micro-organismes envers Corynebacterium sepedonicum, 185.

Pomerleau, R.—Means of inoculation of the Dutch elm disease by Hylurgopinus rufipes Eichh., 102.

Riley, C. G.—Heart rot of oaks caused by Polyporus obtusus, 181.

Robinson, A. D.—See Connolly, F.

Savile, D. B. O.—A study of the species of Entyloma on North American composites, 105.

Scarth, G. W., Gooding, H. B., and Shaw M.—Factors influencing growth and summer dormancy in Taraxacum kok-saghyz, 27.

Shaw, M.—See Scarth, G. W.

Slykhuis, J. T.—Studies on Fusarium culmorum blight of crested wheat and brome grass seedlings, 155.

Thexton, R. H.—See Lochhead, A. G.

Vanterpool, T. C.—A seedling blight and leaf spot of flax caused by Coniothyrium olivaceum Bon., 54.

SECTION C

INDEX TO VOLUME 25

Subjects

Achene(s), Weight of, in tetraploid Taraxacum kok-saghyz, 59.

Agar, See Indicator agar.

Amino acid
Amino acid requirements for pyocyanin production, 121.
Rhizosphere effect in relation to amino acid nutrition of bacteria, 20.

Antagonism of micro-organisms towards Corynebacterium sepedonicum, 185.

Ascorbic acid
in potato, Indicator agar for determination of, 242.
of edible wild plants in New Brunswick, Seasonal variation in, 95.

Bacteria
Bacillus polymyxa, Potassium as a factor in the production of 2,3-butanediol from starch by, 129.
Growth and survival of
in peat pellets, 14.
in powdered peat and related products, 1.
in soil
Isolation and description of cellulose-decomposing species in Quebec soils, 228.
Rhizosphere effect in relation to amino acid nutrition of, 20.
See also Micro-organisms.

Blight
of brome grass seedlings, caused by Fusarium culmorum, 155.
of crested wheat grass seedlings, caused by Fusarium culmorum, 155.
of flax seedlings, caused by Coniothyrium olivaceum, 54.
of sweet pea, caused by Cladosporium, 137.

Brome grass seedlings, Fusarium culmorum blight of, 155.

2,3-Butanediol, Potassium as a factor in production of, from starch, 129.

Cellulose-decomposing bacteria from Quebec soils, Isolation and description of the species of, 228.

Cellulose, Decomposition of, by micro-organisms, 246.

Cladosporium blight of sweet pea, 137.

Composites, North American, Species of Entyloma on, 105.

Coniothyrium olivaceum, Seedling blight and leaf spot of flax caused by, 54.

Corynebacterium sepedonicum, Antagonism of micro-organisms towards, 185.

Crested wheat grass seedlings, Fusarium culmorum blight of, 155.

Dandelion, Russian, See Taraxacum kok-saghyz.

Decomposition of cellulose by micro-organisms, 246.

Deficiency, See Phosphorus deficiency.

Dormancy, Summer, in Taraxacum kok-saghyz, 27.

Dutch elm disease, Inoculation of, by Hylurgopinus rufipes, 102.

Elm, See Dutch elm disease.

Entyloma, Species of, on North American composites, 105.

Erysiphe graminis in Canada, 73.

Fescue grassland of Alberta, 209.

Flax, Seedling blight and leaf spot of, caused by Coniothyrium olivaceum, 54.

Flowering of tetraploid Taraxacum kok-saghyz, 59.

Fusarium culmorum blight of crested wheat and brome grass seedlings, 155.

Grassland, See Fescue grassland.

Growth, See Bacteria and Taraxacum kok-saghyz.

Heart rot of oaks caused by Polyporus obtusus, 181.

Hylurgopinus rufipes, Inoculation of Dutch elm disease by, 102.

Indicator agar for determination of ascorbic acid in potato, 242.

Inoculation of Dutch elm disease by Hylurgopinus rufipes, 102.

Leaf spot of flax caused by Coniothyrium olivaceum, 54.

Leptosphaeria avenaria, Form of, on wheat in Canada, 259.

Micro-organisms
Antagonism of, towards Corynebacterium sepedonicum, 185.
Decomposition of cellulose by, 246.
See also Bacteria.

Nitrate reduction test, Phosphorus deficiency in relation to, 271.

Nutrition, Amino acid, of bacteria, Rhizosphere effect in relation to, 20.

Oaks, Heart rot of, caused by Polyporus obtusus, 181.

Peat, Growth and survival of bacteria in,
in pellets, 14.
Powdered, 1.

Phosphorus deficiency in relation to the nitrate reduction test, 271.

Plant development in tetraploid Taraxacum kok-saghyz, 59.

Plants, Edible wild, of New Brunswick, Seasonal variation of ascorbic acid content of, 95.

Polyploidy, See Taraxacum kok-saghyz.

Polyporus obtusus, Heart rot of oaks caused by, 181.

Potassium as a factor in the production of 2,3-butanediol from starch by Bacillus polymyxa, 129.

Potato tuber tissue, Indicator agar for determination of ascorbic acid in, 242.

Pyocyanin production, Amino acid requirements for, 121.

Rhizosphere effect in relation to the amino acid nutrition of bacteria, 20.

Rot, See Heart rot.

Seasonal variation in ascorbic acid of edible wild plants of New Brunswick, 95.

Seedling blight, See Blight.

Soil(s)
Cellulose-decomposing bacteria isolated from, in Quebec, 228.
Rhizosphere effect in relation to amino acid nutrition of bacteria, 20.
Steam sterilization of, and its effect on physical, chemical, and biological properties, 189.

Starch, Production of 2,3-butanediol from, by Bacillus polymyxa, Potassium as a factor in, 129.

Steam sterilization of soils, Some effects on physical, chemical, and biological properties, 189.

Sterilization, See Steam sterilization.

Survival of bacteria in peat, 1, 14.

Sweet pea, Cladosporium blight of, 137.

Taraxacum kok-saghyz
Factors influencing growth and summer dormancy in, 27.
Tetraploid, Achene weight, flowering, and plant development of, 59.

Thiamin in Manitoba vegetables, 43.

Vegetables, See Thiamin.

Vitamins, See Ascorbic acid and Thiamin.

Wheat in Canada, Form of Leptosphaeria avenaria on, 259.